	Type	# 7	Hits	Search Text	DBs
н	BRS	ĹŢ	821	gateway and ((circular or ring) with (queue or memory or buffer or fifo))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
	BRS	L2	50	<pre>gateway same ((circular or ring) with (queue or memory or buffer or fifo))</pre>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
m	BRS	L3	2541	(ec or agc or filter or sdg or (echo near2 canceller) or modem or encoder or decoder) same ((circular or ring) with (queue or memory or buffer or fifo))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	25	2 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S	BRS	L.5	3375	(ec or agc or filter or sdg or (echo near2 canceller) or modem or encoder or decoder) with gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	BRS	ī.6	7	2 and 5 ·	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
	BRS	L7 .	3	6 not 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<u> </u>	BRS	L8	5863	(ec or agc or filter or sdg or (echo near2 canceller) or modem or encoder or decoder) same gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
ტ	BRS	- I-9	14	2 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L10	9	9 not (4 or 7)	JS-PGPUB; USPAT; JSOCR; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L11	36	2 not (4 or 7 or 10)	JS-PGPUB; USPAT; JSOCR; EPO; JPO; JERWENT; IBM_TDB
12	BRS	L12 ·	174	1 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

719/119/01

	US-PGPUB; USPAT; USOCR, EPO; JPO; DERWENT; IBM_TDB	
	ſſ	
	1 and	
	121	
	L13	
-	BRS	
	м	

	Type	# 7	HITS	Search Text	DBS
					JS-PGPUB; USPAT;
Н	BRS	L31	7	28 not 30	USOCR; EPO; JPO;
					DERWENT; IBM_TDB
					US-PGPUB; USPAT;
~	BRS	132	7	27 not (26 or 28)	USOCR; EPO; JPO;
					DERWENT; IBM_TDB
					US-PGPUB; USPAT;
m	BRS	L33	7	25 not (26 or 28 or 27)	USOCR; EPO; JPO;
					DERWENT; IBM_TDB
4	IS&R	L34	1	("20030187824").PN.	US-PGPUB; USPAT
LO	BRS	1,35	C	r or ring) with (queue or memory or	US-PGPUB; USPAT;
,				buffer or fifo)	DERWENT; IBM_TDB